

WHAT IS CLAIMED IS:

1.-19. (canceled)

20. (currently amended) A stacked film arrangement comprising at least two stamped films, wherein the at least two stamped films each have a stamped perforation pattern ~~comprising at least one stamped gap that defines a~~ defining at least one dividing line and predetermining the edges of cut for future separation into individual elements, wherein the said at least one dividing line ~~stamped gap has a continuous width across a length of the at least one stamped gap, wherein the at least one stamped gap is interrupted across said length in a regular pattern by webs bridging the width of the at least one stamped gap, wherein the webs each have a width that is, on average, less than an average spacing between two adjacently positioned ones of the webs, respectively, wherein the at least two stamped films are stacked flat on top one another without being folded and are superimposed in a staggered arrangement relative to one another such that the webs of a first one of the at least two stamped films and the webs of a second one of the at least two stamped films are not superimposed.~~

21. (currently amended) The stacked film arrangement according to claim 20, wherein the stamped perforation patterns of the at least two stamped films are identical and wherein the second one of the at least two stamped films is arranged relative to the first one of the at least two stamped films so as to be rotated by 180° about a surface axis of the first one of the at least two stamped films.

22. (currently amended) The stacked film arrangement according to claim 20 configured to produce electrochemical or electrochromic components.

23. (canceled)

24. (currently amended) The stacked film arrangement according to claim 20, wherein the at least two stamped films each have, in a first direction, several of the at least one dividing line ~~stamped gap~~ and wherein said several of the at least one dividing line ~~stamped gaps~~ extend parallel to one another, wherein, upon mirroring the first one of the at least two stamped films at a mirror plane intersecting the first one of the at least two stamped films centrally and perpendicularly to said several of the at least one dividing line ~~stamped gaps~~, respectively, the webs of said several of the at least one dividing line ~~stamped gaps~~ will not be superimposed on webs of the second one of the at least two

stamped films that has not been mirrored when superimposing the mirrored first one of the at least two stamped films and the second one of the at least two stamped films that has not been mirrored.

25. (currently amended) The stacked film arrangement according to claim 20, wherein the at least two stamped films each have several of the at least one dividing line stamped gap and said several ~~of the at least one dividing line stamped gaps~~ extend perpendicularly to one another in a first direction and in a second direction, wherein the webs of said several ~~of the at least one dividing line stamped gaps~~ that extend in said first direction, upon mirroring of the first one of the at least two stamped films at a mirror plane, which mirror plane intersects the first one of the at least two stamped films centrally and perpendicularly to said first direction, will not be superimposed on webs of the second one of the at least two stamped films that has not been mirrored when superimposing the mirrored first one of the at least two stamped films and the second one of the at least two stamped film that has not been mirrored.

26. (currently amended) The stacked film arrangement according to claim 20, wherein the at least two stamped films each have the webs arranged such that upon rotation by 180° about a central axis of rotation that is positioned perpendicularly to a surface plane of the first one of the at least two stamped films will not be superimposed on the webs of the second one of the at least two stamped films that has not been rotated when superimposing the rotated first one of the at least two stamped films on the second one of the at least two stamped films that has not been rotated.

27. (currently amended) A stamped film configured to be connected to an additional stamped film, wherein the stamped film has a stamped perforation pattern comprising at least one ~~stamped gap that defines a~~ dividing line and predetermining the edges of cut for future separation into individual elements, ~~wherein the at least one stamped gap has a continuous width across a length of the at least one stamped gap,~~ wherein the at least one dividing line stamped gap is interrupted ~~across said length~~ in a regular pattern by webs bridging the width of at least one dividing line stamped gap, wherein the webs each have a width that is, on average, less than an average spacing between two adjacently positioned ones of the webs, respectively, wherein the stamped perforation pattern has, in a first direction, several of the at least one dividing line stamped

~~gap, wherein said several stamped gaps extend~~ extending parallel to one another, wherein, upon mirroring the stamped film at a mirror plane that intersects the stamped film centrally and perpendicularly to said several ~~of the at least one dividing line stamped gaps~~, the webs of said several ~~of the at least one dividing line stamped gaps~~ will not be superimposed on webs of a stamped film that has not been mirrored when superimposing the mirrored stamped film on said stamped film that has not been mirrored.

28. (currently amended) The stamped film according to claim 27, wherein the width of each one ~~all~~ of the webs, respectively, is less than a spacing between two adjacently positioned ones of the webs, respectively.

29. (currently amended) The stamped film according to claim 27, wherein the stamped perforation pattern has several of the at least one dividing line ~~stamped gap~~, wherein said several ~~of the at least one dividing line stamped gaps~~ extend perpendicularly to one another in a first direction and in a second direction, wherein the webs of said several ~~of the at least one dividing line stamped gaps~~ that extend in said first direction, upon mirroring of the stamped film at a mirror plane, which mirror plane intersects the stamped film centrally and perpendicularly to said first direction, will not be superimposed on webs of a stamped film that has not been mirrored when superimposing the mirrored stamped film on said stamped film that has not been mirrored.

30. (previously presented) The stamped film according to claim 27, wherein the webs are arranged such that upon rotation by 180° about a central axis of rotation that is positioned perpendicularly to a surface plane of the stamped film will not be superimposed on webs of a stamped film that has not been rotated when superimposing the rotated stamped film on said stamped film that has not been rotated.

31. (previously presented) The stamped film according to claim 27, comprising parts making the stamped film suitable for configuring an electrochemical or electrochromic component of film construction.

32. (previously presented) The stamped film according to claim 27, wherein the stamped film is a cathode film or an anode film.

33. (previously presented) The stamped film according to claim 27, comprising openings suitable as positioning holes.

34. (new) The stacked film arrangement according to claim 20, wherein

the at least two stamped films are joined to one another.

35. (new) The stacked film arrangement according to claim 20, wherein the at least two stamped films are laminated to one another.